

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



J.H. SCHMIDT & SON

INCORPOR-ATED




LANDSCAPE CONTRACTORS
AND
NURSERYMEN

MILLBURN, NEW JERSEY
MILLBURN 6-0292



Tretail
PRICE LIST 1941

Wholesale 33/3% Discount



OUR NURSERY GARDEN

CONDITIONS OF SALE

All orders are accepted subject to prior sale, and to condition of stock at delivery date, under the following terms and conditions:

GOODS IN TRANSIT—All goods are at purchaser's risk after they are delivered to the forwarding companies and we receive their receipt for the shipment in good condition.

ALL CLAIMS must be made within five (5) days after receipt of the plant material which received as per order and in good condition is not returnable.

STOCK SPECIALLY SELECTED by customers at the Nursery will be sold according to the value of the plants chosen, irrespective of catalog price.

TERMS: Cash or satisfactory references are required from unknown parties. A discount of two per cent (2%) will be allowed on all nursery stock paid in full within ten (10) days from date of invoice, thirty (30) days net. Interest at six per cent (6%) will be charged on all accounts from due date.

Orders for C. O. D. shipments must be accompanied by one-third of the amount of the order.

BALL AND BURLAP—The charge for balling and burlapping any items where B. & B. is not specified, is as follows:

Single burlap balls based on height of plant

ingle builds bails based on height	or pro
2 to 4 ft	.35
4 to 6 ft	.50
6 to 8 ft	1.00
8 to 10 ft	1.75
Solid balling roped suitably for pla	atforms
21 in. diameter	\$ 3.00
24 in. diameter	4.50
30 in. diameter	6.75
36 in. diameter	10.50
42 in. diameter	14.00
48 in. diameter	
54 in. diameter	28.00
60 in. diameter	40.00

SCHEDULE OF DELIVERY CHARGES

First Zone-5 to 15 Miles

Amount of Order	
on one Delivery	
\$500 to \$1,000	Free
\$300 to 499	Free
\$100 to 299	Free
Less than \$100	\$3.00

A HILLSIDE GARDEN ENHANCED BY WALKS AND A BROAD FLAGSTONE PATH



Second Zone-15 to 30 Miles

Second Zone—15 to 50 Miles	
\$500 to \$1,000 \$300 to 499 \$100 to 299 Less than \$100	Free Free 5% of order \$5.00
Third Zone-30 to 50 Miles	
\$500 to \$1,000	Free
\$300 to 499	5% of order
\$100 to 299	8% of order
Less than \$100	\$8.00
Fourth Zone—50 to 75 Miles	
\$500 to \$1,000	Free
\$300 to 499	5% of order
\$100 to 299	10% of order
Additional information on special deliveries given on requ	iest.

EVERGREEN AND DECIDUOUS TREES AND SHRUBS

	Each Per 10 Per 100
ABELIA grandiflora—5'-6'—Glossy Abelia—Half throughout Summer; privet-like foliage.	
12-18 in, B, & B	.90
ABIES concolor—50'-60'—White Fir—Large flat si pyramidal habit; withstands city condition	lvery-green needles. Splendid ns.
14-16 ft. B. & B	
ABIES—homolepsis—60'-80'—Nikko Fir—One of needles; quite hardy.	the finest firs; has lustrous
8-10 ft. B. & B.	
10-12 ft. B. & B	
ACER palmatum—6'-8'—Japanese Maple—A goo	
3-4 ft. B. & B.	5.10
4-5 ft. B. & B	7.50 9.00
6-7 ft. B. & B.	12.00
7-8 ft. B. & B.	
ACER platanoides—50'.75'—Norway Maple—Hectiree, Best maple for city conditions.	
16-18 ft. B. & B.—3½-4 in cal	22.50
16-18 ft. B. & B.—4-4½ in. cαl	
18-20 ft, B, & B,—4½-5 in. cal	36.00
ARONIA arbutifolia—8'—Red Chokeberry—Hand red fruit; prefers a moist location.	Isome red foliage in the Fall;
18-24 in. B. & B	.60
AZALEA altoclarence—5'-6'—Highclere Azalea- large yellow flowers.	—A deciduous Azalea with
15-18 in. B. & B	3.30
18-24 in. B. & B	4.20 3.90
2-2½ ft. B. & B	5.10 4.80 5.70 5.10
2½-3 ft. B. & B	7.50
AZALEA amonea—4'-5'—Japanese Evergreen Aza densely covered with vivid claret flowers.	Good Fall color.
2-2½ ft. B. & B	3.90
2½-3 ft, B, & B	6.00 5.40 9.90 8.70
3-3 ½ 1t, B, & B	
4-5 ft, B. & B.	19.50 16.50

	Each	Per 10	Per 100
AZALEA arborescens-10'-12'-Sweet Azalea-	-Native;	bushy	plant with
fragrant white flowers in June.		•	
12-15 in B. & B	1.80	1.50	
15-18 in. B. & B.	2.10	1,80	1.50
18-24 in. B. & B.	2.70	2.40	2.10
2-2½ ft. B. & B.	3.75	3.45	3.00
2½-3 ft. B. & B.	4.80	4.50	4.20
3-4 ft. B. & B.	6.75	6.30	5.85
4-5 ft. B. & B.	8.70	7.80	0.00
5-6 ft. B. & B	12.00		
AZALEA calendulacea—8'-9'—Southern Flame		-Bright le	mon-yellow,
apricot and flame colored flowers in May			
12-15 in, B. & B.	1.50		
15-18 in. B. & B	1.80	1.65	1.50
18-24 in. B. & B	2.40	2.10	1.80
2-2½ ft. B. & B	3.30	3.00	2.70
2½-3 ft. B. & B	4.50	4.20	3.90
3-4 ft. B. & B	6.00	5.40	4.80
4-5 ft. B. & B	8.10	7.20	6.30
5-6 ft. B. & B	10.50	9.00	
AZALEA Hinodegiri—4'-5'—Japanese Azaleα—Facarmine-pink flowers in June.	vergreer	shrub co	overed with
15-18 in. B. & B	3.00		
18-24 in, B. & B.	4.20		
2-2½ ft. B. & B.	6.00		
2½-3 ft. B. & B.	9.00	7.50	
3-3½ ft. B. & B.	10.50	9.60	
3½-4 ft. B. & B	12.00		
AZALEA indica alba—4'-5'—Large single white		needs some	e protection.
18-24 in. B. & B	3.90		
2½-3 ft. B. & B.	6.60		
AZALEA Kaempferi—4'-5'—Torch Azalea—Orano May.	ge-pink t	o coral-red	l flowers in
12-15 in. B. & B	1.50	1.35	1.20
15-18 in. B. & B.	1.95	1.80	1.50
18-24 in, B. & B	2.40	2.25	1.95
2-2½ ft. B. & B	3.15	3.00	
2½-3 ft. B. & B	3.90	3.60	
3-3½ ft. B. & B	5.40		
3½-4 ft. B. & B	8.10		
4-5 ft. B. & B	12.00		


	Each	Per 10	Per 100
AZALEA ledifolia magnifica—4'-5'—Carmine flak			
white flower; blooms profusely in May.	es on the	throat or	a creamy
18-24 in B. & B.	4.20		
2-2½ ft. B. & B	6.00		
AZALEA molle Pink Beauty—Pink.			
2-2½ ft. B. & B	5.40		
2½-3 ft. B. & B.	6.30		
AZALEA mucronulatum-5'-6'-Dahurian Azalea	-Violet	oink flow	ers: early
blooming; scarlet foliage in Fall.			
15-18 in, B. & B.	1.80	1.50	
18-24 in, B, & B.	2.25	1.95	1.65
2-2½ ft. B. & B.	3.00	2.70	2.40
2½-3 ft, B, & B	3.90	3.60	3.30
3-3½ ft. B. & B.	5.40	5.10	
3½-4 ft. B. & B.	6.30	0.10	
4-5 ft. B. & B	8.10		
AZALEA nudiflora—6'-8'—Pinxterbloom—Native;	iragrant,	clear pink	flowers in
early May.	1.05		
15-18 in. B. & B.	1.95	1.80	1.65
18-24 in. B. & B.	2.70	2.40	
2-2½ ft. B. & B.	3.75	3,30	
2½-3 ft. B. & B.	4.80	4.20	
3-4 ft. B. & B	6.30	5.70	
4-5 ft. B. & B	8.10		
AZALEA Pink Pearl—A Kurume hybrid; evergree	en: salmo	n pink floy	vers
15-18 in. B. & B.	3.30	F	
18-24 in, B, & B,	4.20		
2-2½ ft. B. & B	5.40		
AZALEA poukhanensis—4'-5'—Korean Azalea—	-Large, a	imost blu	e blooms;
fragrant.	2.25		
12-15 in B. & B	2.23	0.40	
15-18 in. B. & B		2.40	
18-24 in, B. & B	3.90	3.60	
2-2½ ft. B. & B.	5.70	5.40	
2½-3 ft. B. & B.	6.90	6.60	
3-3½ ft. B. & B	9.00	8.10	
AZALEA rosea—5'-6'—Downy Pinxterbloom—No	tive; rose	e-colored :	flowers in
May; red and yellow foliage in Fall.			
12-15 in. B. & B	1.50	1.20	
15-18 in. B. & B	1.80	1.50	
18-24 in. B. & B	2.70	2.40	
2-2½ ft. B. & B	3.75	3.45	
2½-3 ft. B. & B.	4.80	4.50	
3-4 ft, B, & B.	6.75	6.00	
4-5 ft, B, & B.	9.00	8.10	

	Each	Per 10	Per 100
AZALEA Schlippenbachi-6'-8'-Royal Azalea-P	ale rose-c	colored fl	owers.
12-15 in, B, & B	2.40	2.10	1.80
15-18 in, B. & B.	3,30	3.00	2.70
18-24 in. B. & B.	4.20	3.90	3.60
2-2½ ft. B. & B.	5.40	5.10	4.80
2½-3 ft. B. & B.	6.90	6.30	
3-4 ft. B. & B.	8.10		
AZALEA Sweetbriar—3'—Clear, unfading pink.			
15-18 in. B. & B	3.30		
AZALEA Vαseyi—10'-15'—Pink Shell Azaleα—Nα May.	tive; flow	ers appe	ar in early
12-15 in, B, & B,	1.65	1.50	1.35
15-18 in. B. & B	2.25	2.10	1.85
18-24 in, B, & B,	3.00	2.70	2.40
2-2½ ft. B. & B	3.90	3.60	3.30
2½-3 ft. B. & B	5.10	4.80	4.50
3-4 ft. B. & B	6.60	6.00	
AZALEA viscosα—9'-10'—Swamp Azalea—Nativ flowers in late June. 2-2½ ft. B. & B	3.00 4.20	ant, whit	e or pink
3-4 ft, B. & B.	6.00		
4-5 ft. B. & B.	8.10		
BERFERIS Chenaulti—3'-4'—Chenault Barberry- foliage; neat compact habit.	—Evergre	en; glo	ssy green
12-15 in, B, & B,	2.10	1.80	
15-18 in. B. & B.	2.70	2.40	
18-24 in. B. & B	3.60		
BERBERIS Julianae—4'-5'—Wintergreen Barberry foliage.	-Large,	spined,	ever-green
18-24 in B. & B.	1.35		
2-3 ft. B. & B	2.40	2.10	
3-4 ft. B. & B	3.30	3.00	
4-5 ft. B. & B	4.20		
BERBERIS Thunbergi—4'-5'—Japanese Barberry—brilliant Fall coloring; scarlet berries.	-Splendid	low he	dge plant;
12-15 in	.18	.15	.12
15-18 in	.24	.21	.18
18-24 in	.30	.24	.21
2-2 ¹ / ₂ ft	.42		

	Each	Per 10	Per 100
BERBERIS tricanthophora—4'-5'—Threespine			
glossy green leaves; graceful branching			
12-15 in. B. & B	1.20	1.05	
15-18 in. B. & B.		1.50	
18-24 in. B. & B.		1.95	
2-2½ ft. B. & B.		2100	
DEDDEDIC	0 11 1		1.1
BERBERIS verruculosa—3'—Warty Barberry—S	Small, glos	ssy, greer	i, oblong
10-12 in. B. & B	1.35	1.20	1.05
12-15 in. B. & B	1.80	1.65	1.50
15-18 in. B. & B.		2.10	1.80
18-24 in. B. & B.	3.00	2.70	2.40
BETULA alba laciniata—White Birch—Weeping	hranahaa a	nd ailmores	white aut
foliage.	brunches di	na snvery	wille, cui
6-8 ft. B. & B	3.90		
8-10 ft, B, & B,			
10-12 ft. B. & B.			
BETULA populifolia—30'-40'—Gray Birch—Very		n natural	clumps.
6-8 ft. clumps B. & B	5.25		
8-10 ft. clumps B. & B			
10-12 ft. clumps B. & B	9.00		
12-14 ft. clumps B. & B	12.00		
14-16 ft. clumps B. & B	15.00		
BIGNONIA grandiflora—25'.30'—Trumpet Vine trumpet flowers in late Summer.	-Clusters	of brigh	t orange
5 in. pots—15-18 in	1.35	1.20	
BUDDLEIA Ile De France—4'-5'—Hybrid Butte		Taras va	
flower spikes; fragrant.	rny busn-	-Large ros	sy purpie
3 yr. 7 in. pots	.90	.60	
BUXUS sempervirens—8'-10'—Bush Form—The t Box.	rue, hardy	variety of	Common
6-8 in. heavy	.18	.15	.12
20-24 in. B. & B.		3.30	
24-30 in. B. & B.		4.80	
30-36 in. B. & B.		6.90	
Larger sizes, prices upon o		0,00	
BUXUS sempervirens arborescens—15'-20'—Tree		—A small	graceful
evergreen tree with pendant branches; g			
18-24 in. B. & B	3.30		
2-2½ ft. B. & B			
Larger sizes, prices upon a	pplication.		

BUXUS sempervirens suffruticosa—5'-6'—Dwarf English Boxwood; extremely slow grow plant.			
4-6 in. 4-6 in. (heavy) 6-8 in. 8-10 in. B. & B. 10-12 in. B. & B. 12-15 in. B. & B. Larger sizes; prices upon a		.15 .24 .30	.12 .21
CALYCANTHUS floridus—8'-9'—Sweet Shrub—Re		n flowers.	fragrant
2-3 ft.	.54	.45	magrant.
3-4 ft.	.75	.66	
CERCIS canadensis—20'-25'—American Red-bu	** -		almost
3-4 ft	.90		
4-5 ft	1.20		
5-6 ft	1.50		
8-10 ft. B. & B	7.50 9.00		
10-12 ft. B. & B. (heavy)			
CERCIS chinensis—10'-12'—Chinese Redbud—Do		zere. comp	act habit
18-24 in.	.66	.60	act mapm.
2-3 ft.	.90	.81	
3-4 ft.	1.35	1.20	
4-5 ft.	1.80	1.65	
CHAMAECYPARIS obtusa Crippsi—10'-12'—C hardy; slow grower; bright yellow through		en Cypre	ss—Very
3-4 ft. B. & B	4.50		
4-5 ft, B. & B	6.00		
CHAMAECYPARIS obtusa gracitis—12'-15'—SI dark green foliage; compact growth.	ender Hind	oki Cypre	ssRich,
3-4 ft. B. & B.	6.90		
4-5 ft. B. & B.	9.00		
5-6 ft, B. & B	12.00		
6-7 ft. B. & B 8-10 ft. B. & B			
		G1 1	1 -1
CHAMAECYPARIS pisifera plumosa—25'-35'—Plu imparting a feathery appearance.	ime Cypress	-Slender	branches
4-5 ft. B. & B	4.00		
5-6 ft. B. & B.	4.20 6.00		
6-7 ft. B. & B.	9.00		
7-8 ft. B. & B.			

	Each	Per 10 Per 100	
CORNUS florida—15'-25'—White Flowering Dogw	vood-One	of the best native	è
Spring flowering trees; red berries.			
3-4 ft, B, & B,	1.50		
4-5 ft. B. & B.	2.40	2.25	
5-6 ft. B. & B.	3.30	3.00 2.70	
5-6 ft. specimen B. & B.	4.80	2,7	
6-8 ft. B. & B.	5.10	4.80 4.50	
6-8 ft. specimen B. & B.	7.20	1.00	
8-10 ft. B. & B.	7.50	6.90 6.00	
8-10 ft. specimen B. & B.	10.50	9.60	
10-12 ft. B. & B.	13.50	12.00	
10-12 ft. specimen B, & B.	18.00		
12-14 ft. B. & B.	24.00	21.00	
12-14 ft. specimen B. & B.	30.00	21.00	
14-16 ft. B. & B.	36.00		
14-16 ft. specimen B. & B.	45.00		
16-18 ft. B. & B.	48.00		
18-20 ft. B. & B.	60.00		
10-20 N. D. G. D	00.00		
CORNUS florida rubra—15'-20'—Pink Flowering	Dogwood-	-Flowers more per	_
sistent than the white flowers; smaller ber		•	
2-3 ft. B. & B.	2.40		
3-4 ft. B. & B.	3.00	2.70	
4-5 ft. B. & B.	4.50	3.90	
5-6 ft, B, & B.	6.75	3.30	
6-7 ft. B. & B.	10.50		
7-8 ft. B. & B.	14.40 19.50		
8-9 ft. B. & B			
8-9 ft. specimen B. & B.	22.50		
9-10 ft. B. & B			
9-10 ft. specimen B. & B	27.00		
10-12 ft. B. & B			
10-12 ft. specimen B. & B	33.00		
12-14 ft. B. & B.	33.00	, × !	
12-14 ft. specimen B. & B	42.00		
14-16 ft. B. & B	48.00		
CORNUS mascula-15'-20'-Cornelian Cherry-	Yellow flo	wers early in the	е
Spring; cherry-like fruit.		2	
4-5 ft. B. & B	3.30		
5-6 ft. B. & B	4.20		
6-7 ft. B. & B	6.00	5.40	
7-8 ft. B. & B	8.10		
COTONEASTER divaricata—4'-6'—Spreading Cot	oneaster—	Dark green toliage	;
red berries.			
3-4 ft. B. & B	2.10		



STONE GATES AND RESTRAINED PLANTING EXPRESS THE QUIET DIGNITY


Each Per 10 Per 100
COTONEASTER horizontalis—2'-3'—Rock Cotoneaster—Flat branches, deep green leaves, scarlet berries.
4 in. pots 1.20 1.05 7 in. pots 2.10 1.80
COTONEASTER microphylla—2'—Rockspray—Hardy; small, glossy dark green
leaves; evergreen; white flowers; red fruit. 2 1/4 in. pots
COTONEASTER salicifolia floccosa—8'-10'—Willowleaf Cotoneaster—Tall; willow-like foliage; red fruit.
2-3 ft. B. & B
COTONEASTER Simonsi—8'-10'—Simon Cotoneaster—Spreading branches and pinkish white flowers in June. Bright red berries; almost evergreen. 3-4 ft. B. & B
CRATAEGUS Crus-galli—20'-25'—Cockspur Thorn—Dark, glossy leaves; good Fall color.
10-12 ft. B. & B
CRATAEGUS mollis—15'—Downy Hawthorn—Large leaves; white flowers; scarlet fruit.
10-12 ft. B. & B
CRATAEGUS Oxycantha—20'-25'—English Hawthorn—Large fragrant white flowers; red berries.
6-8 ft. B. & B
CRATAEGUS Oxycantha rosea plena—20'-25'—Double pink English Hawthorn.
CRATAEGUS Oxycantha rosea plena—20'-25'—Double pink English Hawthorn. 4-5 ft. B. & B. 2.70
CRATAEGUS Oxycantha rosea plena—20'-25'—Double pink English Hawthorn. 4-5 ft. B. & B. 2.70 6-8 ft. B. & B. 6.00
CRATAEGUS Oxycantha rosea plena—20'-25'—Double pink English Hawthorn. 4-5 ft, B. & B. 2.70 6-8 ft, B. & B. 6.00 8-10 ft, B. & B. 10.50
CRATAEGUS Oxycantha rosea plena—20'-25'—Double pink English Hawthorn. 4-5 ft. B. & B. 2.70 6-8 ft. B. & B. 6.00
CRATAEGUS Oxycantha rosea plena—20'-25'—Double pink English Hawthorn. 4-5 ft, B, & B. 2.70 6-8 ft, B, & B. 6.00 8-10 ft, B, & B. 10.50 10-12 ft, B, & B. 13.50 12-14 ft, B, & B. 16.50 14-16 ft, B, & B. 21.00
CRATAEGUS Oxycantha rosea plena—20'-25'—Double pink English Hawthorn. 4-5 ft, B, & B. 2.70 6-8 ft, B, & B. 6.00 8-10 ft, B, & B. 10.50 10-12 ft, B, & B. 13.50 12-14 ft, B, & B. 16.50 14-16 ft, B, & B. 21.00 16-18 ft, B, & B. 27.00
CRATAEGUS Oxycantha rosea plena—20'-25'—Double pink English Hawthorn. 4-5 ft, B, & B. 2.70 6-8 ft, B, & B. 6.00 8-10 ft, B, & B. 10.50 10-12 ft, B, & B. 13.50 12-14 ft, B, & B. 16.50 14-16 ft, B, & B. 21.00
CRATAEGUS Oxycantha rosea plena—20'-25'—Double pink English Hawthorn. 4-5 ft, B, & B. 2.70 6-8 ft, B, & B. 6.00 8-10 ft, B, & B. 10.50 10-12 ft, B, & B. 13.50 12-14 ft, B, & B. 16.50 14-16 ft, B, & B. 21.00 16-18 ft, B, & B. 27.00 CRYPTOMERIA japonica lobbi—15'-20'—Temple Cryptomeria—Tall and slender; bronze winter color. 14-16 ft, B, & B. 39.00
CRATAEGUS Oxycantha rosea plena—20'-25'—Double pink English Hawthorn. 4-5 ft, B. & B. 2.70 6-8 ft, B. & B. 6.00 8-10 ft, B. & B. 10.50 10-12 ft, B. & B. 13.50 12-14 ft, B. & B. 16.50 14-16 ft, B. & B. 27.00 CRYPTOMERIA japonica lobbi—15'-20'—Temple Cryptomeria—Tall and slender; bronze winter color. 14-16 ft, B. & B. 39.00 16-18 ft, B. & B. 48.00
CRATAEGUS Oxycantha rosea plena—20'-25'—Double pink English Hawthorn. 4-5 ft, B. & B. 2.70 6-8 ft, B. & B. 6.00 8-10 ft, B. & B. 10.50 10-12 ft, B. & B. 13.50 12-14 ft, B. & B. 16.50 14-16 ft, B. & B. 27.00 CRYPTOMERIA japonica lobbi—15'-20'—Temple Cryptomeria—Tall and slender; bronze winter color. 14-16 ft, B. & B. 39.00 16-18 ft, B. & B. 48.00 CYDONIA japonica—3'-4'—Flowering Quince—Scarlet flowers in early spring.
CRATAEGUS Oxycantha rosea plena—20'-25'—Double pink English Hawthorn. 4-5 ft, B. & B. 2.70 6-8 ft, B. & B. 6.00 8-10 ft, B. & B. 10.50 10-12 ft, B. & B. 13.50 12-14 ft, B. & B. 16.50 14-16 ft, B. & B. 27.00 CRYPTOMERIA japonica lobbi—15'-20'—Temple Cryptomeria—Tall and slender; bronze winter color. 14-16 ft, B. & B. 39.00 16-18 ft, B. & B. 48.00

	T	D 10	D 100
	Each		Per 100
DAPHNE Cneorum—1'—Garland Flower—Gray-g evergreen shrub with fragrant, pink flowers			
8-10 in. B. & B.	.90	.75	.60
10-12 in B. & B.	1.35	1.20	1.05
12-15 in. B. & B.	1.80	1.65	2.00
15-18 in B. & B.	2.25	2.00	
18-24 in. B. & B.	3.00		
DAPHNE Mezereum—2½'-3'—February Daphne- flowers in February; nice gray-green foliac		agrant, ro	sy purple
15-18 in. B. & B.	.90		
18-24 in. B. & B.	1.05		
2-2½ ft. B. & B.	1.35		
Z-Z /2 II. D. & D	1.00		
DEUTZIA gracilis—3'-4'—Slender Deutzia—Snow-			lαy.
12-15 in	.42	.36	
15-18 in	.54	.45	
18-24 in	.60	.54	
DEUTZIA gracilis rosea—3'-4'—Pink Slender Deut	ziα—Bell-	shaped flo	wers.
15-18 in	.42	.36	
18-24 in	.54	.45	
		_	
DEUTZIA Lemoine—4'-5'—Lemoine Deutzia—Large	e, white	flowers in	June.
18-24 in	.42	.36	
2-3 ft	.54	.48	
DEUTZIA scrabra—Pride of Rochester—8'-9'—I flowers shading to rose.	Pink Deu	ıtzia—Dou	ble blush
18-24 in	.30	.24	
2-3 ft	.42	.36	
3-4 ft.	.51	.45	
4-5 ft.	.69	.63	
5-6 ft.	.81	.72	
0-0 10	.01	./ 4	
ELEAGNUS longipes—5'-6'—Cherry Eleagnus—Or	-	fruit in Ju	ly.
5-6 ft	1.20		
6-7 ft	1.80		
ENKIANTHUS campanulatus—12'-15'—Red Veine	ad Enkig	nthus_Ye	llowish or
pale orange flowers, veined darker; brillian			
2½-3 ft. B. & B			
	4.80		
3-4 ft. B. & B	5.10		
5-6 ft. B. & B	7.50		
6-7 ft. B. & B.	9.00		
7-8 ft, B, & B, 8-9 ft, B, & B,	10.50		
	12.00		

EUONYMUS alatus—7'-8'—Winged Euonymus-	Each Per 10 Per 100
color; carmine fruit.	Time and crimson addami
6-8 ft. B. & B.	. 6.00
EUONYMUS patens—8'-10'—Spreading Euonymus, fruit,	mus—Half-evergreen; orange
2-3 ft. spread B. & B	1.50 2.10
EUONYMUS radicans—15'-20'—Wintercreeper Vincover.	ne—Evergreen wall or ground-
2½ in. pots	.30 .24 .60 .48
FAGUS sylvatica Riversii—70'-80'—River's Furple	e Beech—The best purple leaf
tree.	0.00
4-5 ft. B. & B	6.60 9.00
6-8 ft. B. & B.	
FORSYTHIA intermedia speciabilis—8'-9'—Show	v Border Golden Bell-Large
deep yellow flowers.	r zerzer detden zen zange,
18-24 in	.30 .27
2-3 ft	.42 .36
3-4 ft	.5748
4-5 ft	.72 .96
0-7 It	.50
GORDONIA alatamaha—20'—A small native September. Fine Fall color.	
4-5 ft. B. & B.	6.60
5-6 ft. B, & B.	7.50
6-7 ft, B, & B,	9.00
8-10 ft, B, & B,	
HALESIA tetraptera-20'-25'-Great Silver Bell-	
dark green foliage.	00
3-4 ft	.69 1.20
5-6 ft	1.50
HAMAMELIS virginianα—15'-25'—Witch-Hazel—7 November.	Tall shrub; yellow flowers in
4-5 ft	1.05
5-6 ft	1.35
6-7 ft	1.65
7-8 ft	2.40

	Each	Per 10	Per 100
HYDRANGEA paniculata grandiflora—8'-10'— white in summer changing to pink in fall.		Hydranged	ı—Flowers
2-3 ft	.66	.60	
3-4 ft		.66	
ILEX cornuta—10'—Chinese Holly—Evergreen;	shining,	glossy gree	en leaves;
scarlet berries.			
12-18 in. B. & B	1.50	1.35	
18-24 in. B. & B	1.95		
2-2½ ft, B. & B	2.40		
2½-3 ft. B. & B	2.85		
3-4 ft. B. & B	3.60		
4-5 ft. B. & B	4.50		
ILEX crenata—8'-10'—Japanese Holly—Box-like berries.	evergre	en leaves	and black
15-18 in. B. & B.	1.35	1.20	1.05
18-24 in. B. & B.	2.10	1.80	1.50
2-2½ ft. B. & B.	2.40	2.25	2.10
2½-3 ft. B. & B.	3.60	3.30	3.00
3-4 ft. B. & B.	5.40	5.10	4.80
4-5 ft. B. & B.		7.20	6.90
5-6 ft. B. & B.	7.80 9.90	9.00	6.90
0-0 II. D. Gr D		9.00 12.00 to 15.0	10
6-7 ft. B. & B		12.00 to 15.0	JU
ILEX crenata convexa (Bullata)—4'-5'—Convertorm of slow growth; shiny convex folio		red Holly—	-Evergreen
ILEX crenata convexa (Bullata)—4'-5'—Conve		ved Holly—	-Evergreen
ILEX crenata convexa (Bullata)—4'.5'—Conver form of slow growth; shiny convex folio	ge.		
ILEX crenata convexa (Bullata)—4'.5'—Convex form of slow growth; shiny convex folio 8-10 in. edaing	.90 1.20	.81 1.05	.72
ILEX crenata convexa (Bullata)—4'.5'—Convex form of slow growth; shiny convex folio 8-10 in. edaing	.90 1.20 1.65	.81 1.05 1.50	.72
ILEX crenata convexa (Bullata)—4'.5'—Convex form of slow growth; shiny convex folio 8-10 in. edaing	.90 1.20 1.65 2.10	.81 1.05	.72
ILEX crenata convexa (Bullata)—4'.5'—Convex form of slow growth; shiny convex folio 8-10 in. edaing	.90 1.20 1.65 2.10 3.00	.81 1.05 1.50 1.80	.72
ILEX crenata convexa (Bullata)—4'.5'—Convex form of slow growth; shiny convex folio 8-10 in. edaing	.90 1.20 1.65 2.10	.81 1.05 1.50 1.80	.72
ILEX crenata convexa (Bullata)—4'.5'—Convex form of slow growth; shiny convex folio	.90 1.20 1.65 2.10 3.00 3.90 6.00	.81 1.05 1.50 1.80	.72 .90
ILEX crenata convexa (Bullata)—4'.5'—Convex form of slow growth; shiny convex folio	.90 1.20 1.65 2.10 3.00 3.90 6.00 (apanese crenata.	.81 1.05 1.50 1.80 2.70	.72 .90
ILEX crenata convexa (Bullata)—4'.5'—Convex form of slow growth; shiny convex folio 8-10 in. edaing	.90 1.20 1.65 2.10 3.00 3.90 6.00 apanese crenata. 1.35	.81 1.05 1.50 1.80 2.70	.72 .90
ILEX crenata convexa (Bullata)—4'.5'—Convex form of slow growth; shiny convex folio 8-10 in. edaing	.90 1.20 1.65 2.10 3.00 3.90 6.00 apanese crenata. 1.35 2.25	.81 1.05 1.50 1.80 2.70 Holly—Smo	.72 .90
ILEX crenata convexa (Bullata)—4'.5'—Convex form of slow growth; shiny convex folion	.90 1.20 1.65 2.10 3.00 3.90 6.00 (apanese crenata. 1.35 2.25 3.60	.81 1.05 1.50 1.80 2.70	.72 .90
ILEX crenata convexa (Bullata)—4'.5'—Convex form of slow growth; shiny convex folio 8-10 in. edaing	.90 1.20 1.65 2.10 3.00 3.90 6.00 apanese crenata. 1.35 2.25 3.60 5.10	.81 1.05 1.50 1.80 2.70 Holly—Smo	.72 .90
ILEX crenata convexa (Bullata)—4'.5'—Convex form of slow growth; shiny convex folio	9990 1.20 1.65 2.10 3.00 3.90 6.00 (apanese crenata. 1.35 2.25 3.60 5.10	.81 1.05 1.50 1.80 2.70 Holly—Smo	.72 .90
ILEX crenata convexa (Bullata)—4'.5'—Convex form of slow growth; shiny convex folio	9990 1.20 1.65 2.10 3.00 3.90 6.00 apanese crenata. 1.35 2.25 3.60 5.10 res turning 2.10	.81 1.05 1.50 1.80 2.70 Holly—Smo	.72 .90
ILEX crenata convexa (Bullata)	9990 1.20 1.65 2.10 3.00 3.90 6.00 apanese crenata. 1.35 2.25 3.60 5.10 yes turnin 2.10 2.70	.81 1.05 1.50 1.80 2.70 Holly—Smo	.72 .90
ILEX crenata convexa (Bullata)	99. 90 1.20 1.65 2.10 3.00 3.90 6.00 (apanese crenata. 1.35 2.25 3.60 5.10 yes turnin 2.10 2.70 3.75	.81 1.05 1.50 1.80 2.70 Holly—Smo	.72 .90
ILEX crenata convexa (Bullata)	9990 1.20 1.65 2.10 3.00 3.90 6.00 apanese crenata. 1.35 2.25 3.60 5.10 yes turnin 2.10 2.70	.81 1.05 1.50 1.80 2.70 Holly—Smo	.72 .90

	Each	Per 10	Per 100
ILEX opaca—25'-30'—American Holly—One of t			
greens; dark green, glossy leaves and abo	undance	of red ber	ries.
18-24 in. B. & B.	1.50		
2-3 ft. B. & B	3.00	2.70	2.40
3-4 ft. B. & B.	5.10	4.80	4.50
4-5 ft. B. & B.	7.50	7.20	6.90
5-6 ft. B. & B	10.50	00 4- 54 0	00
Larger specimen prices on application.	21	.00 to 54.0	00
ILEX Pernyi—7'-8'—Perny Holly—Evergreen; de bright red berries; neat compact habit.	ark, lustr	ous, gree	n leaves;
12-15 in. B. & B.	2.10	1.80	
15-18 in. B. & B.	3.00	2.70	
18-24 in. B. & B.	4.20	3.90	
ILEX verticillata—6'.8'—Winterberry—Also calle bright red berries.	d Black	Alder.	Deciduous;
2-3 ft, B. & B	.66		
3-4 ft. B. & B	.81		
4-5 ft. B. & B	1.05		
ILEX verticillata polycarpa—Improved variety of	Ilex verti	cillata.	
2-3 ft	.90		
3-4 ft	1.20		
JUNIPERUS chinensis—18'-20'—Chinese Juniper- gray-green foliage; very hardy.	-Formal,	narrow	evergreen;
5-6 ft. B. & B	6.00		
6-8 ft. B. & B	8.10		
JUNIPERUS chinensis columnaris—15'-20'—Columnaris—1	mnar Ju	niper—Tal	l, narrow
6-7 ft. B. & B	7.50		
7-8 ft, B. & B	9.90		
8-10 ft. B. & B	13.50	12.00	
	18.00	15.00	
12-14 ft. B. & B	24.00		
JUNIPERUS chinensis neaboriensis—7'-8'—Conic pyramidal habit, rich foliage.	al Chine	ese Junip	er-Broad,
5-6 ft. B. & B	5.70		
6-7 ft. B. & B	7.50		
JUNIPERUS chinensis Sargenti—2'.2½'—Sargent J prostrate in habit; bright green foliage.	uniper—H	Hardy gro	und-cover;
15-18 in. B. & B	2.25		
18-24 in. B. & B	3.00		



ONE OF OUR PRIZE WINNING EXHIBITS AT THE NEW YORK FLOWER SHOW

	Thereis	D 10	D 100
WINDEDING I F/O/ G . G	Each	Per 10	
JUNIPERUS excelsa stricta—5'-6'—Spiny Greek : midal form with gray-green foliage.	Juniper-	Close grow	ng, pyra-
18-24 in. B. & B.	2.10		
2-2½ ft. B. & B.	2.40		
2½-3 ft. B. & B.			
JUNIPERUS horizontalis Bar Harbor—6"-12"—Bar	Harbor 1	Juninar Ma	t of gray.
green foliage changing to metallic purpl			
excellent ground-cover.		•	•
12-18 in. B. & B	2.40		
18-24 in. B. & B.	3.00		
JUNIPERUS horizontalis plumosa—1½'—Purple Sp	preading	Juniper—Ve	rv hardv:
attractive purple color in Winter.			1
15-18 in. B. & B.	1.50	1.20	
18-24 in. B. & B.	2.10	1.80	1.50
2-2½ ft. B. & B.	2.70		
2½-3 ft, B, & B,	3.00		
3-3½ ft. B. & B.	4.20		
3½-4 ft. B. & B.	4.80		
5-6 ft. B. & B.			
		,	.,
JUNIPERUS virginiana Burki—12'-15'—Burk's Ced	larDens	e column; s	alver-gray
foliage turning purple in Winter.	10.50		
8-10 ft. B. & B	16.50		
10-12 ft. B. & B	21.00		
JUNIPERUS virginiana Cannarti-19'-12'-Canna	rt Cedar-	—Pyramidal	, compact
growth; deep, rich green foliage.			
2½-3 ft. B. & B	3.00		
4-5 ft. B. & B	4.50		
6-7 ft. B. & B	9.00	8.10	
7-8 ft. B. & B	12.00		
8-10 ft. B. & B	16.50		
10-12 ft. B. & B	21.00		
12 foot specimen B. & B	27.00		
JUNIPERUS virginiana glauca—15'-20'—Silver Ce	edar—Irre	gular colum	n: bluish-
gray foliage.		9	, 2.0
4-5 ft. B. & B	4.50		
5-6 ft. B. & B.	6.00		
6-7 ft. B. & B.	9.00		
8-10 ft. B. & B.	18.00	15.00	
10-12 It, B. &. B.	21.00	10.00	
JUNIPERUS virginiana Keteleeri—18'-20'—Ketelee compact, pyramidal habit.	er Cedar-	-Dark gree	n foliage;
7-8 ft, B. & B	9.00	8.10	
8-10 ft. B. & B.	13.50	12.00	
10-12 ft, B. & B.	18.00	15.00	

T 1 P 1	D 100
JUNIPERUS virginiana schotti—20'-25'—Schott Red Cedar—Colo	
dark green foliage.	minai nabit,
7-8 ft. B. & B	
8-10 ft. B. & B	
JUNIPERUS virginiana Smithi-6'-8'-Smith's Red Cedar-Light	grass-green
foliage.	
3-4 ft. B. & B	
4-5 ft, B, & B	
KALMIA angustifolia—3'—Lambkill—Large clusters of purplish or flowers.	light crimson
15-18 in, B, & B,	
18-24 in, B. & B	
2-2½ ft. B. & B	
KALMIA latifolia-6'-8'-Mountain Laurel-Native evergreen; cov	
May and early June with white to pink flowers; glossy,	dark green
foliage; does better in semi-shade. 12-15 in, B, & B,	1.35
15-18 in, B, & B,	1.80
18-24 in. B. & B	2.40
2-2½ ft. B. & B	3.30
2½-3 ft. B. & B	4.20
3-4 ft. B. & B	6.30
4-5 ft. B. & B	9.00
5-6 ft. B. & B	
5-6 ft. specimen B. & B	8.00
6-7 ft. B. & B	
KERRIA japonica fl. pl.—4'-5'—Double Kerria—Yellow flowers in stems.	May; green
18-24 in	
2-3 ft 1.05	
KOELREUTERIA paniculata-25'-30'-Golden-rain Tree-Good sp	ecimen tree,
bears large panicles of yellow flowers; prefers full sunligh	t.
4-5 ft	
	-
KOLKWITZIA amabilis—5'-6'—Beauty Bush—Pink flowers in late	Spring.
18-24 in	
LABURNUM Vossi—30'—Golden Chain—Small tree; yellow flower wisteria; most attractive.	s resembling
3-4 ft. B. & B	
4-5 ft. B. & B 2.10	
5-6 ft. B. & B	
6-8 ft. B. & B	
8-10 ft. B. & B	

	Each	Per 10	Per 100
LEIOPHYLLUM buxifolium-1'-2'-Sand Myrtle-1	Native, dv	warf everar	een; small,
shiny leaves; pale pink or white flowers	in May	and June.	
12-15 in. B. & B	2.25		
15-18 in. B. & B	3.00	2.40	
18-24 in. B. & B.	3.75	3.30	
2-2½ ft. B. & B	4.50	3.90	
2½-3 ft. B. & B	5.25	4.80	
3-3½ ft. B. & B	6.60		
LEUCOTHOE Catesbaei—3'-4'—Drooping Androm foliage; white flowers in May; rich Autum shade.			
12-18 in. B. & B.	1.20	1.05	.90
18-24 in. B. & B.	1.80	1.65	1.50
2-2½ ft. B. & B.	2.70		
2½-3 ft. B. & B	3.60		
LIGUSTRUM obtusifolium Regelianum—4'-6'—Tr Half-evergreen; good for use in a shrubb	ery bord	er; low bro	anched.
18-24 in	.60	.54	.51
2-2½ ft	.75	.66	.63
2½-3 ft	.90	.81	
LIGUSTRUM ovalifolium—9'-10'—California Prive	t-Most	popular he	dge plant.
18-24 in	.12	.09	.06
2-3 ft.	.15	.12	.09
3-4 ft.	.21	.15	.12
V-3 40			•••
LIQUIDAMBAR Styraciflua—100'—Sweet Gum—crimson Fall color.	-A tall p	oyramidal	ree; deep
8-10 ft.—1½-2 in. cal	6.00	5.40	
10-12 ft.—2-2½ in. cαl	8.40	7.50	
12-14 ft.—2½-3 in. cαl	12.00	10.50	
12-14 ft.—3-3½ in. cal	13.50	12.00	
LONICERA fragrantissima—6'-8'—Winter Bush flowers in March; good foliage.	Honeysu	ckle—Fragi	ant white
2-3 ft,	.51	.45	
3-4 ft	.63	.57	
LONICERA Morrowi—7'-8'—Morrow Bush Ho flowers in June; red fruit.	neysuckle	Spreadir	g; white
2-3 ft	.54	.48	.42
LONICERA tatarica rosea—8'-10'—Tatarian crimson flowers and fruit.	Honeysu	ckle—Tall	growing;
2-3 ft,	.48		
3-4 ft	.60		

SIMPLICITY IS THE KEYNOTE OF THIS FOUNDATION PLANTING



	Each	Per 10	Per 100
MAGNOLIA liliflora nigra—15'-18'—Purple Lil throughout the Spring; glossy foliage.	ly Magn	ı oliα —Purple	flowers
3-4 ft. B. & B.	3.75		
5-6 ft. B. & B.	7.50		
6-7 ft, B, & B.	9.00		
7-8 ft. B. & B	12.00		
MAGNOLIA parviflora-15'-20'-Oyama Magno	olia—Fra	grant, white	flowers
with crimson stamens.			
4-5 ft. B. & B.	7.50		
6-7 ft. B. & B.	13.50		
7-8 ft. B. & B.	15.00		
MAGNOLIA soulangeana—15'-18'—Saucer Magpink, cup-shaped flowers in April.	jnoliα—G	lossy foliag	e; large,
3-4 ft, B, & B,	3.75	3.60	
4-5 ft. B. & B.	5.10	4.65	
5-6 ft. B. & B.	6.30		
6-7 ft. B. & B.	8.10		
7-8 ft. B. & B.	10.50		

13.50


8-10 ft. B. & B. ...

	Each	Per 10	Per 100
MAGNOLIA soulangeana—Continued			
8-10 ft. B. & B. (heavy)	15.00		
10-12 ft. B. & B.			
10-12 ft. B. & B. (heavy)	24.00		
12-14 ft. B. & B.			
MAGNOLIA stellata—8'-10'—Star Magnolia—Sla	ow growin	g; early s	emi-double
white flowers.			
2½-3 ft. B. & B	5.25		
3-4 ft, B. & B.			
4-5 ft, B, & B,	9.90		
5-6 ft. B. & B			
6-7 ft. B. & B.	15.00		
MAGNOLIA stellata rosea—10'-12'—Pink Star I	Magnolia—	Pink flowe	ers.
2½-3 ft. B. & B	5.25		
3-4 ft. B. & B.			
4-5 ft. B. & B			
MAHONIA Aquifolium—3'-4'—Oregon Grape			
leaves vary from rich green to purple-	red; yello	w flowers;	protected
location.	-		
15-18 in. B. & B			
18-24 in. B. & B	1.80	1.65	
2-2½ ft. B. & B.	2.40	2.10	
2½-3 ft. B. & B	3.30	3.00	
3-3½ ft. B. & B	3.90		

MALUS—Flowering Crabs—			
Arnoldiana-12'-15'-Arnold Crab-Semi-double	flowers,	deep pin	k in bud,
expanding to white; waxy yellow apple	s.		A.B.C.D.F.
atrosanguinea-10'-15'-Carmine Crab-Single	crimson	flowers i	n Spring;
shapely habit.			A.B.C.D.E.
floribunda-12'-15'-Japanese Flowering Crab-	-Pink buds	and flow	ers in the
Spring; red fruit.		A	.B.C.D.E.F.
Scheideckeri-10'-15'-Scheidecker Crab-Doub	le pink flo	owers; lar	ge yellow
fruit; upright growth.			A.B.C.D.
spectabilis-15'-18'-Chinese Flowering Crab-	-Large, fr	agrant, b	right pink
flowers; yellow fruit, not very showy.			A.B.C.D.E.
theifera-15'-18'-Tea Crab-Red buds, blush-w	hite flower	rs.	A.B.C.D.
A- 3-4 ft	1.35		
B.— 4-5 ft.	1.80		
C.— 5-6 ft, B. & B	2.70		
D.— 6-8 ft. B. & B	4.20		
E.— 8-10 ft. B. & B			
F.—10-12 ft. B. & B	13.50		
Specimens add 33½			
Specimens add 00%			

	Each	Per 10	Per 100
MALUS—Flowering Crabs—Continued			
Halliana Parkmanni—12'-15'—Parkman Crab—S	emi-double,	rose-pink	flowers.
10-12 ft. B. & B	15.00		
ioensis plena-10'-15'-Bechtel Crab-Double pe	ach-blush f	lowers	
3-4 ft.	1.80	10 W C15.	
4-5 ft.	2.40		
8-10 ft. B. & B.	9.00		
10-12 ft. B. & B.	13.00		
Speciments add 331/3	%		
sargenti-5'-6'-Sargent Crab-Dwarf; white flow	wers; smal	l scarlet f	ruit,
4-5 ft. B. & B	3.60		
5-6 ft. B. & B	5.25		
6-7 ft. B. & B.	8.10		
torringoides—25'—Cutleaf Crab—Creamy white	flowers; y	rellow and	l reddish
fruit. 4-5 ft. B. & B	2.70		
5-6 ft. B. & B.	3.60		
NYSSA svlvatica—60'-70'—Tupelo—Sourwood—P	icturesque	in old age	; brilliant
green foliage; good Fall color.			
3-4 ft	2.25		
4-5, ft	3.00		
5-6 ft	4.50		
6-8 ft	5.25		
OXYDENDRON arboreum-25'-30'-Sorrelwood-	-Native;	clusters o	of white
flowers in August; foliage a wonderful red	d in Fall.		
4-5 ft	2.25	1.95	
5-6 ft. B. & B.	3.30	3.00	2.70
6-8 ft. B. & B	4.50	4.20	3.90
8-10 ft. B. & B	6.00	5.70	5.40
10-12 ft. B. & B.	9.00	8.10	
PHILADELPHUS coronarius-8'-10'-Mock Orang	Fragrar	at white fl	Owers in
May or June.	ragiai	it willte i	owers in
2-3 ft	.45	.39	
3-4 ft	.51	.45	
5-6 ft	.75		
PHILADELPHUS Lemoinei—4'-5'—Lemoine Mock C small leaves hidden by fragrant white flo	Orange—Ne	eat compac	t hybrid;
		0.0	
18-24 in.	.42	.36	
2-2½ ft	.51		

	Each	Per 10	Per 100
PHILADELPHUS Lemoinei Mont Blanc—3'—White Profusion of white flowers.		n Mock	Orange—
18-24 in	.42	.39	
2-3 ft.	.51	.45	
PHILADELPHUS virginalis—7'-8'—Virginal Mock white flowers.	Orange	e—Large,	fragrant
2-3 ft	.42	.39	
3-4 ft	.63	.60	
4-5 ft	.81		
PHOTINIA villosa-12'-15'-Christmas Berry-Red	fruit and	d foliage	in Fall.
3-4 ft	.81		
4-5 ft	1.05		
5-6 ft,	1.35		
PICEA glauca conica—5'—Dwarf Alberta Sprucevery hardy.		cone of bl	ue-green;
5-6 ft. B. & B. specimen	24.00		
PICEA pungens Kosteri-60-80'-Koster Blue Spruc	e—Silver	y-blue.	
8-10 ft. B. & B.	36.00		
PIERIS floribunda—3'-4'—Mountain Fetterbush—No covered in April with spikes of white flow		green; ha	rdy shrub
15-18 in. B. & B	2.40	2.25	2.10
18-24 in. B. & B.	3.30	3 00	2.70
2-2½ ft. B. & B	4.50	3.90	
2½-3 ft. B. & B.	6.00		
3-3½ ft. B. & B.	9.90		
PIERIS japonica—5'-6'—Japanese Andromeda—Ev ing bronze in Winter. Drooping clusters of	white flo	wers.	rves turn-
12-15 in. B. & B.	1.50	1.20	1.00
15-18 in, B. & B	2.25	2.10	1.80
18-24 in. B. & B.	3.00	2.70 3.90	
2-2½ ft. B. & B.	4.20 6.00	5.40	
2½-3 ft. B. & B	9.00	8.40	
	12.00	10.50	
	16.20	15.00	
PINUS Cembra—20'-25'—Swiss Stone Pine—Slo			een with
conical shape; attractive silvery-green nee	dles.	g, crorgi	***************************************
4-5 ft. B. & B,			
5-6 ft. B. & B			
6-7 ft. B. & B	21.00		



PINUS densiflora—100'—Japanese Red Pine—Qu	Each	Per 10	
foliage is a bright bluish-green.	lick-growi	ng orname	ental tree;
6-7 ft. B. & B.	8.10		
PINUS montana Mughus—5'-6'—Mugho Pine—I and neat in habit; very hardy.	warf, slo	w growth;	compact
18-24 in. B. & B	3.30		
2-2½ ft. B. & B.	4.50		
3-3½ ft. B. & B.	7.50		
3½-4 ft. B. & B.	9.00		
4-5 ft. B. & B	12.00		
5-6 ft, B, & B	15.00 18.00		
7-8 ft. B. & B.	21.00		
PINUS nigra—60'-70'—Austrian Pine—Glossy, do	_		
4-5 ft. B. & B.	5.40	4.50	
5-6 ft. B. & B.	7.50		
PINUS resinosa—60'-70'—Red Pine—Dense tree	with darl	green ne	edles.
10-12 ft. B. & B	27.00		
12-14 ft. B. & B	36.00		
PINUS Strobus—80'-100'—White Pine—Native et needles.	vergreen	with soft,	blue-green
4-5 ft. B. & B	7.50	6.90	
5-6 ft. B. & B	8.40		
PRUNUS glandulosa—5'-6'—Double flowering pi	nk and v	white almor	nd.
18-24 in, B. & B	.72	.66	
2-3 ft. B. & B	.87	.75	
3-4 ft. B. & B	1.20		
4-5 ft. heavy B. & B	3.00		
PRUNUS serrulata—20'-40'—Japanese Cherries.			
Ama-no-gawa-Light pink, semi-double; slender		ght.	
5-6 ft. B. & B.	3.30		
6-8 ft. B. & B	6.00		
Beni-Higan—Pale pink flowers borne profusely			
6-8 ft. B. & B	6.00		
6-8 ft heavy B. & B	9.00 10.50		
8-10 ft. B. & B			
	12.00		
Windows Disk desires at adopt and healt of n		ble	
Hizakura—Pink, deeper at edges and back of p	etals, dou	ble.	
### Hizakura—Pink, deeper at edges and back of p 8-10 ft, B. & B		ble.	

	Each	Per 10	Per 100
PRUNUS serrulata—Continued			
Kwansan—Double pink.			
6-8 ft. B. & B.	6.00		
8-10 ft. B. & B.	9.00		
10-12 ft. specimen B. & B.	18.00	15.00	
12-14 ft. specimen B. & B	27.00	24.00	
14-16 ft. specimen B. & B	33.00		
W-G C -: 1- 11 -: 1 0 1 11			
Kofugen—Semi-double, pink flowers; late bloome			
4-5 ft. B. & B.	2.40		
5-6 ft. B. & B	3.60		
6-8 ft. B. & B.	6.00		
8-10 ft. B. & B	12.00		
12-14 ft. specimen B. & B.	18.00 27.00		
12-14 II. specimen B. & B	27.00		
Mt. Fugi-Double white.			
5-6 ft. B. & B	3.60		
6-8 ft. B. & B.	6.00		
8-10 ft. B. & B.	10.50		
Naden—Small tree; one of the most double of the	ne pink flo	wering va	rieties.
4-5 ft. B. & B	2.40		
6-8 ft. B. & B.	6.00		
10-12 ft. B. & B	12.00		
12-14 ft. specimen B. & B	27.00		
Shirofugen—Double, opens pale pink, becomes	white and	then turn	s cerise.
8-10 ft. B. & B.	10.50		
10-12 ft. B. & B.	15.00		
			~ 1
PRUNUS serrulata rosea plena pendula-12'-15'-	—Japanese	Weeping	Cherry—
Deep pink, double flowers.			
2 yr. head, 5-6 ft. stem B. & B	4.50		
3 yr. head, 5-6 ft. stem B. & B.	6.90		
3 yr. head, 6-7 ft. stem B. & B	8.10		
4 yr. head, 5-6 ft. stem B. & B	9.00		
4 yr. head, 6-7 ft. stem B. & B	10.50		
6 yr. head, 6-7 ft. stem B. & B.	15.00 30.00		
9 yr. head, 10 ft. stem B. & B			
PRUNUS subhirtella pendula single—15'-18'— Single light pink flowers.	Japanese	Weeping	Cherry—
3 yr. head, 4-5 ft. stem B. & B	4.50		
3 yr. head, 5-6 ft. stem B. & B	6.90		
3 yr. head, 6-7 ft. stem B. & B	8.10		
4 yr. head, 5-6 ft. stem B. & B	9.00		
4 yr. head, 6-7 ft. stem B. & B	10.50		

	Each	Per 10 Pe	er 100
PRUNUS subhirtella pendula single—Continued			
5 yr. head, 4-5 ft. stem B. & B	10.50		
5 yr. head, 5-6 ft. stem B. & B	12.00		
5 yr. head, 6-7 ft. stem B. & B	13.50		
7 yr. head, 6-7 ft. stem B. & B	18.00		
PSEUDOTSUGA douglasi—70'-80'—Douglas Fir—soft-textured gray-green foliage.	-Symmetrica	l evergree:	n tree;
10-12 ft. B. &. B	21.00 36.00		
PYRACANTHA coccinea—Firethorne—Spreading orange-yellow berries.	evergreei	n shrub;	bright
4-5 ft. B. & B. specimen	12.00		
PYRACANTHA coccinea Lalandi—9'-12'—Evergrevergreen with large clusters of orange b			-leaved
2-2½ ft. potgrown B. & B.	3.00		
2½-3 ft. potgrown B. & B.	3.60	0.00	
3-4 ft. potgrown B. & B.	4.20	3.60	
QUERCUS palustris—70'-80'—Pin Oak—Quick grasts dense shade.	owing Oak;	pyramida	l head;
10-12 ft. 2½-3 in. cal	7.50		
12-14 ft. 3-3½ in. cαl	10.50		
12-14 ft, 3½-4 in, cal	13.50 18.00		
14-16 ft, 3-3½ in. cal	21.00		
RHODODENDRON arbutifolium—4'—Daphne Rh	ododendron-	-Pink flor	wers in
June; hardy dwarf variety.	7.00		
2-2½ ft. B. & B	7.50 9.00		
Z*2-3 H. B. & B	3.00		
RHODODENDRON canadense—3'-4'—Rhodora—l shade.	Purple flowe	ers; best i	n moist
12-15 in. B. & B	1.50	10.22	
1 ₀ -18 in. B. & B	1.80	1.50	
18-24 in. B. & B	2.25		
RHODODENDRON carolinianum-6'-7'-Carolina	Rhododeno	dron-Nativ	e ever-
green; dark green leaves; pale rose-pink in semi-shade.	flowers in	early Ma	y. Best
12-15 in. B. & B	1.80	1.50	1.20
15-18 in, B. & B	2.25	2.10	1.80
18-24 in. B. & B	3.00	2.70	2.40
2-2½ ft. B. & B	3.90	3.60	3.30

	Each	Per 10	Per 100
RHODODENDRON carolinianum—Continued			
2½-3 ft. B. & B	5.25	4.80	4.50
3-4 ft. B. & B.	6.75	6.00	
4-5 ft. B. & B.	9.00	8.10	
5-6 ft. B. & B	12.00		
RHODODENDRON carolinianum album—6'-7'—V	Thite C	Sarolina Rhode	dondron
—Native evergreen; white or light pink f			dendron
15-18 in. B. & B.	2.25		
18-24 in. B. & B	3.00		
2-2½ ft. B. & B	3.90	3.60	
2½-3 ft. B. & B	5.25	4.80	
3-4 ft. B. & B	6.75	6.00	
RHODODENDRON catawbiense—8'-10'—Catawbo			ve ever-
green; large, rosy-purple flowers in June;	good f	foliage.	
15-18 in. B. & B	2.25		
18-24 in. B. & B	3.15	2.85	
2-2½ ft. B. & B.	4.50	4.20	3.75
2½-3 ft. B. & B	6.00	5.70	5.40
3-4 ft. B. & B.	8.10	7.50	6.90
4-5 ft. B. & B.	10.50	9.60	8.70
5-6 ft. B. & B.		12.00 to 18.00	
6-8 ft. B. & B		15.00 to 30.00	
RHODODENDRON macrantha—6'-7'—Broad leaf	evera	reen with smo	ıll white
flowers, June and July.	0.019		
18-24 in. B. & B	4.80		
2-2½ ft. B. & B.	6.00		
2½-3 ft. B. & B	7.20		
3-3 ½ ft. B. & B.	8.10		
3½-4 ft. B. & B	9.30		
RHODODENDRON maximum-10'-12'-Rosebay	Rhodo	dendron-Nati	ve ever-
green; light pink or white flowers in late	June;	good foliage.	
18-24 in B. & B.	2.70	2.55	2.40
2-2½ ft. B. & B.	3.30	3.00	2.70
2½-3 ft. B. & B.	4.50	4.20	3.90
3-3½ ft. B. & B.	5.70	5.10	4.50
3½-4 ft. B. & B.	6.90	6.30	5.70
4-5 ft. B. & B.	9.00	8.40	7.80
5-6 ft. B. & B	12.00	10.50	9,00
6-7 ft. B. & B		15.00 to 24.00	
7-8 ft. B, & B		18.00 to 36.00	
8-9 ft. B. & B.		21.00 to 42.00	

UTILITY AND SPACIOUSNESS ARE EXPRESSED IN THE DESIGN OF THIS PROPERTY



	Each	Per 10	Per 100
RHODODENDRON Hybrids—		10110	101100
album elegans—10'-12'—Blush-pink			C.D.F.G.
Everestianum—Lilac; low-growing			A.B.C.
roseum elegans—8'-10'—Soft rose			
A.—15-18 in. B. & B.	3.00		
B.—18-24 in. B. & B.	3.90	3.60	
C.—2-2½ ft. B. & B	4.95	4.50	
D.—2½-3 ft. B. & B	6.75	6.00	
E.—3-3½ ft, B. & B	9.00	8.25	
F.—3½-4 ft. B. & B	13.50	12.00	
G.— 4-5 ft. B. & B	16.50	15.00	
America—5'-6'—Red			B.C.D.
Amphion—6'-8'—Pink		A.I	B.C.D.E.F.G.
Charles Bagley—7'-8'—Cherry red			
catawbiense alba—6'-8'—Pure whitecatawbiense grandiflora—Lavender			
culturblense grandmora—Edvender			

	Each	Per 10	Per 100
RHODODENDRON Hybrids—Continued	13CCII	10110	161 100
Delicatissima—6'-8'—Blush-pink			D.E.F.
Dr. Dresselhuys—6'-8'—Red			C.D.E.F.
Kettledrum—Red			
Lee's Dark Purple—Rich Purple			
Mrs. Milner—Rich crimson			
Old Port—6'-8'—Plum color			
Mrs. P. Den Ouden—Red			
Parson's grandiflora—Red			
purpureum elegans—Purple			
Mrs. C. S. Sargent—6'-8'—Deep pink			
Mrs. H. W. Sargent—6'-8'—Crimson			
Ignatius Sargent—6'-8'—Scarlet			
A.—15-18 in. B. & B.		3.60	
B.—18-24 in. B. & B.	4.95	4.50	
C.—2-2½ ft. B. & B.	6.75	6.00	
D.—2½-3 ft. B. & B.	9.00	8.25	
E.—3-3½ ft. B. & B.	13.50	12.00	
F.—3½-4 ft. B. & B.	16.50	15.00	
G.— 4-5 ft. B. & B	21.00		
Boule de Neige-4'-5'-White flowers with fine f	oliage; d	warf.	
15-18 in. B. & B.	4.50		
18-24 in. B. & B.	6.00	5.40	
2-2½ ft. B. & B.	8.10		
2½-3 ft. B. & B	9.90		
RHODOTYPUS kerrioides—5'-6'—Jetbead—White shrub; black berries all Winter.	e flowers	in June;	compact
18-24 in	.45		
2-2½ ft	.54		
ROSA Hugonis—6'-8'—Hugonis Rose—Single yel	low flowe	rs in early	May.
2-3 ft	.81	.75	
ROSA rugosa—5'-6'—Red Rugosa Rose—Flower and red fruit.	s fragran	ıt, decorαti	ve yellow
18-24 in	.63		
2-3 ft	.72		
ROSA rugosa alba—4'-5'—White Rugosa Rose—all Summer.	-Large w	hite fragra	nt flowers
2-3 ft	.75		
3-4 ft	1.05		
ROSA Wichuriana—8'-10' spread—Memorial Ros flowers.	se—Trailir	ng; clusters	s of white
3 yr. 1½-2 ft	.54	.48	.39


SCIED OPINIO		Per 10	
SCIADOPITYS verticillata—20'-25'—Umbrella Pi leaves, pyramidal head; very slow growin	n e —Everg 1g.	reen; thic	k glossy
7-8 ft. B. & B.	30.00		
8-10 ft. B. & B	42.00		
SORBUS Aucuparia—25'-30'—European Mountain fruit, Good drainage necessary.	Ash—Clu	usters of o	range-red
8-10 ft. 1½ in. cal	3.60		
10-12 ft. 2 in. cal	4.20		
14-16 ft. 5-6 in. cal. B. & B.	18.00		
16-18 ft. 6-7 in. cal. B. & B	30.00		
10-20 R. 7-0 III. Cal. B. & B	60.00		
SPIRAEA Bumalda Anthony Waterer—3'—Water all Summer.	rer Spirea	-Rose-pinl	c flowers
18-24 in	.48		
2-3 ft	.63		
SPIRAEA prunifolia—7'-8'—Bridalwreath—Cluster Fall coloring.	s of tiny d	ouble flow	ers; good
3-4 ft	.60		
SPIRAEA Thunbergi—4'-5'—Thunberg Spirea—Co	overed wi	th white f	lowers in
18-24 in	.42	.36	
2-3 ft	.54	.48	

SPIRAEA Vanhouttei-6'-8'-Van Houtte Spirea-			une.
2-3 ft	.42	.39	
3-4 ft	.51	.45 .72	
4-5 ft			
STEPHANANDRA flexuosa—5'-6'—Cutleaf Stephodish-purple. Autumn color,	anandra—	Refined sh	rub; red-
18-24 in	.42	.36	
2-3 ft	.54	.48	
3-4 ft	.63	.57	
SYMPHORICARPOS Chenaulti—3'-4'—Chenault and white fruit in the Fall.	Coralberry	-A mass	of pink
2-3 ft	.48	.42	.36
3-4 ft	.57	.54	.48
SYMPHORICARPOS racemosus—4'-5'—Snowbern September; semi-shade or sun.	ry—Large	white b	erries in
18-24 in	.39	.33	
2-3 ft	.51	.45	
3-4 ft	.60	.54	

Each	Per 10 Per 100
SYMPHORICARPOS vulgaris—4-'5'—Coralberry—Holds shade or sun.	berries until Spring;
18-24 in	.30
2-3 ft	.39
3-4 ft	.48
4-5 ft	.57
SYRINGA japonica—15'-18'—Japanese Tree Lilac—Grad flowers.	ceful habit; lilac-purple
8-10 ft. B. & B	
SYRINGA vulgaris—12'-15'—Common Lilac—Fragrant, la	wonder flowers in May
2-3 ft	vender nowers in May.
SYRINGA Hybrids—8'-15'—Hybrid Lilacs	
SYRINGA Hybrids—8'-15'—Hybrid Lilacs Maurice Barres—Pale azure lilac, single Belle de Nancy—Light violet-red, double Captain Baltet—Violet-lilac, single Berryer—Clear mauve, semi-double Michael Buchner—Light blue, double Buffon—Mauve-pink, single Charles the Tenth—Reddish-purple, single Congo—Reddish-violet, free-flowering, single President Failliers—Pale lavender, double Marie le Graye—White, single President Grevy—Soft blue, double Mrs. Edward Harding—Bright carmine, double Katherine Havemeyer—Cobalt blue, large double Hiawatha—Lavender, very late blooming Horace—Lavender, very late blooming Hugo Koster—Lilac with a reddish tint, single Marechal Lannes—Bluish-violet, semi-double Mme. Lemoine—Snow-white, double President Lincoln—Purple-lilac opening to blue, single Jean Mace—Pink, double	C. C. A.B. A.B. A.B. A.C. B.C. A.C. A.C.
Mont Blanc—Large white, single	
Reamur—Violet-carmine, single	A.B.C.
Rhum Von Horstenstein-Deep red changing to lilac, si	ngleA.B.C.
William Robinson—Mauve-pink, double	B.C.
Ludwig Spaeth—Crimson-purple, single	B.C.
Paul Therion—Purple, double	
Jan Van Tol-Large, pure white, single; dwarf grower	A.B.C.

	Each	Per 10	Per 100
SYRINGA Hybrids—Continued			
Vulcan—Deep purple			В
Waldeck-Rousseau—Deep violet, double			
Ellen Willmott—Pure white, very double	•••••		А.Б.
A.—18-24 in	.84		
B.— 2-3 ft	1.20		
C.— 3-4 ft. B. & B.			
D.— 4-5 ft. B. & B.			
E.— 5-6 ft. B. & B	4.50		
TAXUS baccata repandens—1½'.2'—Spreading branches; deep green needles.	g Englis	h Yew-	-Horizontal
12-15 in. spread B. & B.	2.25	1.05	
15-18 in. spread B. & B.	3.00	1.95 2.70	
18-24 in. spread B. & B.	3.90	3.60	
10-24 m. spread b. d b	0.50	0.00	
TAXUS Canadensis—3'-4'—Canadian Yew—A flo	at growin	g type, h	ardy.
18-24 in, spread B, & B,	3.60	3.30	
2-2½ ft. spread B. & B.	5.10	4.80	
2½-3 ft. spread B. & B	6.30		
TAXUS cuspidata—4'-5'—Spreading Japanese Ye for hedge.	w —Deep	green fol	iage; good
15-18 in. spread B. & B	2.25		
18-24 in. spread B. & B	3.00	2.70	
2-2½ ft. spread B. & B	3.90	3.60	3.00
2½-3 ft. spread B. & B	5.40	4.80	4.20
3-3½ ft. spread B. & B	7.50	6.90	
3½-4 ft. spread B. & B	10.50	9.60	
4-5 ft. spread B, & B	15.00	13.50	
5-6 ft. spread B. & B	21.00	19.50	
6-7 ft. spread B. & B	27.00	24.00	
7-8 ft. spread B. & B	33.00	30.00	
8-10 ft, spread B. & B	39.00 48.00		
10-12 ft. spread B. & B	40.00		
TAXUS cuspidata capitata—10'-20'—Upright J	apanese	Yew—De	eep green
foliage; red fruit.			
18-24 in. B. & B	2.25	2.10	1.80
2-2½ ft. B. & B	3.00	2.70	
2½-3 ft B. & B	4.20	3.75	
3-3½ ft, B. & B	5.40	4.95	
3½-4 ft. B. & B	7.50	6.75	
4-5 ft. B. & B.	10.50	9.60	
5-6 ft. B. & B	13.50	12.00	
6-7 ft. B. & B	18.00	16.50	
7-8 ft, B. & B	27.00		

OUR TREE MOVING MACHINE IN OPERATION



2½-3 ft. spread B. & B. 3-3½ ft. spread B. & B. 3½-4 ft. spread B. & B. 4-5 ft. spread B. & B.	12.00 18.00	8.10 10.50	J.±∪
15-18 in. B. & B	3.60 4.80 6.00	Taxus cuspic	lata nana.
AXUS cuspidata seiboldi—12'-15'—Seibold Yew Good hedge plant.	-Bush	y type of "c	uspidata".
15-18 in. B. & B. 18-24 in. B. & B. 4-5 ft. B. & B.	3.00		
AXUS cuspidata Thayeri—4'-5'—Thayer's Yew-	-Dark	green, sprea	ding type.
2½ 3 ¼, B, & B. 30½ ¼, B, & B.		4.80 6.90	
AXUS media-12'-15'-Hybrid Yew-A good he	edge pl	ant.	
15-18 in. spread B. & B.	2.25		
18-24 in. spread B. & B	3.00	2.70	2.40
2-2½ ft. spread B. & B.	4.50	4.20	3.90
2½-3 ft. spread B. & B.	6.00	5.40	4.80
3-3½ ft. spread B. & B.	9.00	8.10	7.20
	12.00	10.50 13.50	
	15.00 18.00	16.50	
5-6 ft. spread B. & B	24.00	10.50	
J. I. Sproud D. d D	21.00		

T

TAXUS media garden.	Hatfieldi—12'-15'—Hatf	ield Yew—Compact	habit; good for small
2-2½ ft. B. 2½-3 ft. B. 3-3½ ft. B. 3½-4 ft. B.	& B	6.00 9.00 13.50	4.20 5.40 8.10
TAXUS media foliage.	Hicksi—10'-12'—Hick'	s Yew—Upright br	anches; dark green
18-24 in. B. 2-2½ ft. B. 2½-3 ft. B. 3-3½ ft. B. 3½-4 ft. B. 4-5 ft. B. 5-6 ft. B. 6-7 ft. B. TAXUS media 18-24 in. B. 2-2½ ft. B. 2½-3 ft. B.	& B.	3.75 5.25 8.10 9.90 13.50 18.00 24.00 ewell's Yew—Spread 3.00 4.20 5.40	2.25 3.45 3.15 4.80 4.50 7.20 ding habit. 2.70 3.90 4.80
12-15 in. B. 15-18 in. B. 18-24 in. B. 2-2 ¹ / ₂ ft. B.	—Dark green foliage; c . & B & B & B & B & B & B.	ompact, upright grov 	wth. 1.95 2.70 4.20 3.90 4.95 4.50 6.90

THUJA occidentalis Rosenthali—8'-10'—Rosenth	Each	Per 10	Per 100
	al Arbo	orvitae—Sio	w-growing,
dark green column.	F 40		
5-6 ft. B. & B	5.40		
THUJA occidentalis Vervaeneana—10'-12'—Verv			
midal habit; green to yellow and bronze	foliage;	very hardy	
6-7 ft, B. & B	7.50		
7-8 ft. B. & B.	9.00		
8-10 ft. B. & B	10.50		
TSUGA canadensis-75'-90'-Canadian Hemlock	-Nativ	e everaree	n: slender
and pendulous; dark green foliage; good			
18-24 in. B. & B.	1.50	1.35	1.20
2-2½ ft B. & B.	2.10	1.80	1.65
2½-3 ft. B. & B.	2.70	2.40	2.10
3-4 ft. B. & B.	3.60	3.30	3.00
4-5 ft. B. & B.	4.80	4.20	3.90
5-6 ft. B. & B.	7.50	7.20	6.60
6-7 ft. B. & B.	10.50	9.90	9.00
7-8 ft. B. & B.	15.00	0.00	0.00
8-10 ft, B, & B,	21.00		
10-12 ft. B. & B.	30.00	27.00	
12-14 ft. B. & B.	39.00	36.00	
14-16 ft. B. & B.	48.00	45.00	
16-18 ft. B. & B.	60.00	10.00	
Specimens add 33 1/3			
· ·			
TSUGA canadensis Dwarf Forms—4'-10'—Dwa	rf Hem	lock—Intere	sting and
beautiful dwarf types; slow growing.			
18-24 in. B. & B.			
2-2½ ft. B. & B			
2½-3 ft. B. & B	4.50		
TSUGA canadensis pendula-6'-8'-Sargeant We	eping H	lemlock.	
2½-3 ft. B. & B.	9.90		
3-3½ ft. B. & B.	12.00		
4-5 ft. B. & B.	19.50		
	1. 3/	1	1. 1.
TSUGA carolinianum—25'-30'—Carolina Hemlo green foliage; hardy.	ck-Ivio	retate stat	ure; dark
	0.00	0.00	
3-4 ft. B. & B	3.60	3.30	0.00
4-5 ft. B. & B	4.80	4.50	3.90
5-6 ft. B. & B	6.90	6.30	5.40
7-8 ft. B. & B	13.50	12.00	
8-9 ft. B. & B.	18.00	16.50	
9-10 ft, B. & B	22.50	21.00	
10-12 ft. B. & B.	30.00	27.00	
12-14 ft. B. & B	39.00		

	Each	Per 10	Per 100
TSUGA diversifolia—Japanese Hemlock—Slow rather stiff habit.	growing;	short, blun	needles;
10-12 in. B. & B. 12-15 in. B. & B. 15-18 in. B. & B. 18-24 in. B. & B. 2-2½ ft. B. & B. 2½-3 ft. B. & B. 3-3½ ft. B. & B. 4-5 ft. B. & B.	2.40 3.00 3.60 5.25 6.30 7.50		
ULMUS americana—120'—American Elm—One trees; arching habit; fast growing.	of Ame	rica's most	handsome
12-14 ft. 2-2½ in. cal. 12-14 ft. 2½-3 in. cal. 14-16 ft. 3-3½ in. cal. 16-18 ft. 3½-4 in. cal.	5.40 7.20 12.00	3.90 4.80 6.60 10.50	
VACCINIUM corymbosum—6'-7'—Highbush Bludark blue fruit; good Fall color.	eberry—l	Vative; smal	l flowers;
2-3 ft. B. & B. heavy 3-4 ft. B. & B. heavy 4-5 ft. B. & B. heavy 5-6 ft. B. & B. heavy	3.30 4.50	1.95 2.70 3.60	
VIBURNUM Carlesi—4'-5'—Fragrant Viburnum—flowers; good foliage.	-Clusters	of fragrant,	white-pink
18-24 in. B. & B. 2-2½ ft. B. & B. 3-3½ ft. B. & B.	. 1.80		
VIBURNUM cassinoides—6'-8'—Witherod—Clusters of white flowers in June; green berries changing to pink and then to blue-black; good Autumn color.			
18-24 in. 2-3 ft. 3-4 ft.	81	.60 .75 .96	.54 .69
VIBURNUM dentatum—10'-12'—Arrow Wood—berries; good Autumn color.	-White flo	owers in Mo	ay; black
2-3 ft. 3-4 ft. 4-5 ft. 5-6 ft. B. & B.	72 96	.48 .66 .81	.42 .63
VIBURNUM dilitatum—8'-10'—Linden Viburnu flowers; scarlet berries.	m—Cluste	ers of creat	my white
2-3 ft		.75 .96	

	Each	Per 10	Por 100
VIBURNUM Lantana—12'-15'—Wayfaring Tree—1			
June, showy red fruit turning blue, purple	and blac	k.	nowers in
18-24 in	.42	.36	
2-3 ft	.54	.48	.42
3-4 ft	.63	.57	.54
4-5 ft	.84	.72	
5-6 ft	1.35		
VIBURNUM Lentago—20'-25'—Nannyberry—Narr June, blue-black fruit, brilliant Fall color.	ow form;	white	flowers in
18-24 in	.54	.48	.42
2-3 ft	.66	.63	.60
3-4 ft	.84	.81	.75
4-5 ft	1.05	.90	
VIBURNUM prunifolium—12'-15'—Black Haw—Wl of pink fruit turning to black; good Autum 2-3 ft. B. & B.		rs in May .96	; bunches
3-4 ft. B, & B.	1.65	1.50	
4-5 ft. B. & B.	2.10	1.95	
5-6 ft. B. & B.	2.85	2100	
6-7 ft. B. & B.			
VIBURNUM tomentosum plicatum—7'-8'—Japane balls'' in June; good foliage.	ese Snow		te "Snow-
2-3 ft	.54	.48	
3-4 ft	.66	.60	
VITEX macrophylla—5'.6'—Bigleaf Chaste Tree flowers in September; star-shaped gray-gray-gray-gray-gray-gray-gray-gray-			nder blue
2-3 ft		.45	
3-4 ft	.66	.60	
WEIGELA Eva Rathke—4'-5'—Redflowering Weigall Summer.	gela—Crir	nson flow	ers nearly
2-3 ft,	.54	.48	
WEIGELA rosea-6'-8'-Pink Weigela-Pink flow	ers in Jun	ie.	
2-3 ft	.42	.36	
3-4 ft	.54	.48	



HARDY PERENNIALS

AJUGA reptans—9"—Carpet Bugle—Blue flowers in May and June; excellent ground cover.

ANCHUSA italica Telham Beauty—4'-5'—Telham Bugloss—Bright blue flowers in June and July.

Each .36 Per ten .30

- —japonica September Charm—2'—Silvery-pink flowers; early September.
 Each .36 Per ten .30
- —Pulsatilla—8"-10"—Pasque Flower—Bluish-purple flowers in April and May; interesting seed pods.
- -White-18"-Pure white flowers in late Spring.

AQUILEGIA caerulea—2'—Colorado Columbine—Blue and white long-spurred flowers; May and June.

Each .36 Per ten .30

AQUILEGIA-Continued

—caerulea Crimson Star—2'-2½'—Crimson Star Columbine—Crimson sepals with white center; May and June.

Each .36 Per ten .30

- —canadensis—18"-24"—Common American Columbine—Scarlet sepals with gold center; May and June.
- —chrysantha—2'- $2\frac{1}{2}$ '—Golden Columbine—Long-spurred, golden yellow flowers; May and June.

Each .36 Per ten .30

—Dobbie's Hybrids—2½'-3'—Long-spurred, wide color range, extremely hardy; May and June.

Each .33 Per ten .27

—flabellata nana alba—8"-12"—Fan Columbine—Ivory white flowers, excellent gray-green foliage; May through June.

Each .36 Per ten .30

—Mrs. Scott Elliott's Hybrids— $2\frac{1}{2}$ '-3'—Long-spurred, mixed pastel shades; May and June.

Each .33 Per ten .27

—Pearson's Pink Hybrids— $2\frac{1}{2}$ '-3'—Long-spurred, selected pink shades; May and June.

Each .33 per ten .27

—Snow Queen—2½'-3'—Long-spurred, pure white; May and June. Each .36 Per ten .30

ASTER alpinus Dark Beauty—6"-10"—Rock Aster—Large single flowers of deep lavender; May and June.

-Climax-5'-Michaelmas Daisy-Light lavender-blue; August.

Each .36 Per ten .30

—Queen Mary—5'—Michaelmas Daisy—Blue-purple; August and September.

Each .36 Per ten .30

ASTILBE Gloria Superba—18"—Hybrid Astilbe—Rich, deep pink, feathery flower; July.

Each .60 Per ten .48

-White Hybrid—18"—Creamy white flower; July.

AUBRETIA New Hybrids—3" A"—H brid Rock Cress—White, blue, purple and rose shades; May and June.

Each .39 Per ten .33

 $\label{eq:brunneral} BRUNNERA \quad macrophylla—(Anchusa \quad Myosotodiflora)—12"-15"—Siberian \quad Bugloss—Bright blue forget-me-not flowers; April and May.$

Each .36 Per ten .30

CAMPANULA calycanthema—2'-3'—Cup and Saucer Canterbury Bells—Selected shades of blue, pink and white; June.

Each .36

- —carpatica—9"-12"—Carpathian Hare-bell—Delicate, bell-shaped blue flowers; June, July and August.
- —persicifolia—2'-2½'—Peach-leaf Bellflower—Lavender-blue flowers; June and July,
- CERASTIUM tomentosum—6"-8"—Snow-in-Summer—Silver-gray foliage, masses of white flowers; excellent wall plant; May and June.
- CHRYSANTHEMUM Hybrids—2'.3'—Garden Chrysanthemums—Selected varieties; September, October and November.
 - -Bright Eyes-Pompon variety-Orange-apricot with a bright eye.
 - -Ceres-Korean Hybrid-Single, chamois vellow.
 - -Daphne-Korean Hybrid-Single, soft rose with a brown cast.
 - -R. Marion Hatton-Pompon variety-Deep yellow.
 - -October Girl-Garden Hybrid-Large, shaggy, clear pink.
 - -Pink Doty-Pompon Variety-Pink.

Each .36 Per ten .30

CONVALLARIA majalis—9"-12"—Lily-of-the-Valley—Fragrant white flowers; May and June.

Large clumps .45 Per ten .36

CYPREPEDIUM acaule—10"—Lady's Slipper—Moccasin Flower—Large rose-colored flowers; May and June.

4 inch pots, each .45 Per ten .36

-pubescens-16"-Yellow Lady's Slipper-May and June.

4 inch pots, each .39 Per ten .33

—spectabile—2'—Showy Lady's Slipper—Deep rose-purple pouch with white petals; May and June.

4 inch pots, each .45 Per ten .36 8 inch pots, each .54 Per ten .48

DELPHINIUM Belladonna Improved Strain—2'-3'—Improved Belladonna Lark-spur—Clear blue; June through July.

Each.42 Per ten .36

-Hybrids-2'-3'—Improved colors and strain; June through July .

Each.42 Per ten .36

- DIANTHUS arenarius—6"-15"—White flowers tinted lavender, gray-green foliage; May and June.
 - -Beatrix-6"-9"-Hybrid Pink-Large, clear, salmon pink flowers; June through July; September and October.

Each .36 Per ten .30

- -Newport Pink-12"-15"-Sweet William-Deep salmon pink; May and June.
- DICENTRA canadensis—12"—Squirrelcorn—Flowers white tipped with rose; delicate, finely-cut foliage; April.

3 inch pots, each .36 Per ten .30

-Cucullaria-4"-6"-Dutchman's Breeches-Greenish-white flowers tipped with rose; early Spring.

3 inch pots, each .36 Per ten .30

—spectabilis—18"-24"—Bleeding Heart—Pink and white flowers; fern-like foliage; May and June.

6 inch pots, each .60 Per ten .54

- DIGITALIS ambiqua Isabellina—2'.3'—Yellow Foxglove—Spikes of deep yellow marked with brown; ideal plant for shade; June and July.
- DODECATHEON Meadia—12"-15"—Shooting Star—Pale purple and yellow flowers; May and June.

3 inch pots, each .36 Per ten .30

 $\begin{array}{lll} \textbf{DORONICUM} & \textbf{excelsum} & \textbf{Mrs.} & \textbf{Mason--2'-2}\frac{1}{2}'-\textbf{Leopardbane}-\textbf{Large} & \textbf{yellow} \\ & \textbf{daisy-like flowers;} & \textbf{April} & \textbf{and} & \textbf{May.} \end{array}$

Each .36 Per ten .30

EPIGEA repens—4"-6"—Trailing Arbutus—Evergreen ground-cover; white and pink flowers in May.

4 inch pots, each .75

- ERYTHRONIUM americanum—12"—Ādder's Tongue—Trout Lily—Small lily—like yellow, white and pink flowers; interesting mottled leaves; woodland plant blooming in April.
- GAILLARDIA grandiflora Dazzler— $2\frac{1}{2}$ '—Blanket Flower—Vivid crimson and gold flowers; June through September

Each .36 Per ten .30

- GEUM Lady Stratheden—18".24"—Double Orange Avens—Deep golden yellow; June through September.
- All herbaceous perennials, except where noted, 30c each, 24c per ten, 18c per hundred; 5 plants at the 10 rate and 25 plants at the 100 rate of any one variety.

GYPSOPHILA paniculata Bristol Fairy—2'-3'—Double Baby's Breath—Masses of minute, double, white flowers; June, July and August.

Each .42 Per ten .36

- HELIANTHEMUM mutabile Buttercup—9"—Rock Rose—Single golden flowers; June and July.
 - —mutabile Salmon—9"—Salmon Rock Rose—A pale, salmon pink shade; June and July.
 - -mutabile Sudbury Gem-9"-Single, crimson-bronze; June and July.
- HEPATICA acutiloba—4"-6"—Sharp Lobed Hepatica—Native woodland plant, white, pink and lavender flowers; April.
 - —triloba—4"-6"—Three Lobed Hepatica—Native woodland plant; blue flowers in April.
- HEUCHERA sanguinea Pluie de Feu—15"-18"—Coral Bells—Brilliant red flowers in June and July.

Each .42 Per ten .36

—Rosemonde—15"-18"—Pink Bells—Good, pure pink flowers in June and July.

Each .36 Per ten .30

- IBERIS sempervirens—8"·10"—Candytuft—Evergreen; white flowers; April and May; good edging plant.
 - —sempervirens Little Gem—6"-8"—Evergreen; white flowers; good compact edging plant; April and May.

Each .36 Per ten .30

- IRIS cristata—4"-6"—Crested Iris—Native; lavender-blue flowers in May.
 - -cristata alba-4"-6"-White Crested Iris-Pure white variety; May.

 Each .36 Per ten .30
 - -germanica Crusader-2'-3'-Lavender-blue; June.
 - —germanica Shekinah—2'-3'—Clear deep yellow; June.
 - -tectorum-18"-24"-Japanese Roof Iris-Blue; June.
 - —tectorum alba—18"-24"—White variety of the above; June. Each .36
- LAVENDULA vera—12"-15"—Lavender—Very fragrant herb; lavender flowers in June and July.

Each .36 Per ten .30

- LILIUM candidum—4'—Madonna Lily—Waxey white flowers in early June.
 7 inch pots, each .60
 - —candidum Salonika—4'—English grown strain of the Madonna Lily.
 6 inch pots, each .75
 - —regale—4'—Regal Lily—White, purple reverse; June and July.
 6 inch pots, each .36
 - —tenuifolium—2'—Coral Lily—Small waxey turk's caps; July.
- 6 inch pots, each .42

 LINUM perenne—15"-18"—Blue Perennial Flax—Masses of sky-blue flowers in May and June.
- MERTENSIA virginica—2'.2½'—Virginia Bluebell—Native; blue-purple flowers in April; excellent for naturalizing.
- MYOSOTIS palustris—8"-10"—Forget-me-not—Bright blue flowers with yellow center; prefers a moist location; May and June.
- PAPAVER nudicale—18"-24"—Iceland Poppy—Various shades of yellow, orange, red and white; June and July.
- PHLOX divaricata-10"-12"-Blue Phlox-Lavender-blue flowers in May.
 - —Decussata Enchantress—2'-2½'—Garden Phlox—Lovely shade of pink; July, August and September.
 - -subulata alba-4"-6"-Mountain Pink-Pure white; April and May.
 - -subulata Apple Blossom-4"-6"-Soft pink; April and May.
 - -subulata Blue Hills-4"6"-A good blue variety; April and May.
 - —subulata G. F. Wilson—4"-6"—Lavender-blue; April and May.
 - —suffruticosa Miss Lingard—2'-21/2'—Pure white flowers; splendid dark green foliage; June, July and August.
- PLATYCODON grandiflorum—2'- $2\frac{1}{2}$ '—Balloon Flower—Blue flowers in June and July.
- **POLEMONIUM reptans—9"-12"—Creeping Polemonium**—Bright blue flowers; April, May and June.
- PRIMULA cachemiriana—9"-12"—Kashmir Primrose—Lilac-blue flowers; June.

 Each .36 Per ten .30
 - —veris duplex—6"-9"—Hose in Hose Primrose.—Semi-double, yellow flowers; May and June.
 - Each .48 Per ten .42 Per hundred .36
 - —veris Munstead—9"-12"—Superb shades of orange, yellow and cream; May.
 - Each .42 Per ten .36

PULMONARIA angustifolia azurea—9"·12"—Cowslip Lungwort—Blue flowers in April and May.

Each .36 Per ten .30

- PYRETHRUM Hybrids—2'-2½'—Painted Lady—Various shades of white, pink and red; May, June and July.
- SALVIA Pitcheri—3'-3½'—Blue Meadow Sage—Deep blue flowers in September and October.

Each .36

- SANGUINARIA canadensis—6"—Bloodroot—Native; white, star-like flowers; April.
- SCABIOSA caucasica Isaac House Hybrids— $18^{\prime\prime}-24^{\prime\prime}$ —Flowers ranging from a delicate lavender to a rich purple; May through October.

Each .42 Per ten .36

- —fischeri—18"-24"—Fischer's Scabiosα—Blue flowers from May through October; ideal cutting plant.
- TEUCRIUM Chamaedrys—12"-15"—Germander—Evergreen, glossy, deep green leaves; loose spikes of rose-purple flowers in June and July. Excellent dwarf hedge plant.

2¹/₄ inch pots, each .36 Per ten .30

THYMUS Serpyllum coccineus—2"-3"—Scarlet Thyme—Fragrant, soft green mats; deep pink flowers in June and July.

Heavy clumps, each .48 Per ten .42

- TRILLIUM erectum—12"—Purple Trillium—Native; dark purple flowers; broad leaves; May.
 - —grandiflorum—8"-15"—Snow Trillium—Native; large white flowers turn lilac with age; May,
 - —undulatum—18"—Painted Trillium—Native; white flowers painted with purple at the base; May.
- TROLLIUS europeus— $1\frac{1}{2}$ '-2'—Globe Flower—Vivid orange-yellow flowers; good foliage; May and June.
- VERONICA amethystina—12"—Speedwell—Spikes of clear blue in June.

Each .36 Per ten .30

- —incana—9"·12"—Woolly Speedwell—Bluish-purple flowers; gray foliage; May and June.
- -True Blue-12"-Intense blue; June and July. Each .36 Per ten .30

VIOLA cornuta Admiration-6"-8"-Deep violet flowers all summer.

- —cornuta Arkwright Ruby—6"-8"—Large ruby red flowers, dark maroon center; May through September.
- —cornuta Chantreyland—6"-8"—Pure apricot shade; May through September.
- -cornuta Jersey Gem-6"-8"-Rich deep blue; May through September.
- —cornuta White Perfection—6"-8"—A pure waxey white; May through September.
- —lutea splendens—6"-8"—Clear yellow; compact habit; May through September.
- -odorata rosina-4"-6"-Pink, fragrant violet; April and May.
- —pedata bicolor—4"-6"—Bird's Foot Violet—Native; purple and blue flowers in the Spring and early Summer.



A PART OF OUR BOXWOOD COLLECTION AT THE NURSERY

FERNS

ADIANTUM pedatum—12"-18"—Maidenhair Fern—Graceful; hardy; best in moist places.

Each .30 Per ten .24

ASPLENIUM platyneuron—6"-15"—Ebony Spleenwort—Good in rock work.

Each .30 Per ten .24

DRYOPTERIS noveboracensis—12"-15"—New York Fern—Pale green foliage; prefers a moist location.

Each .30 Per ten .24

POLYPODIUM vulgare—4"-10"—Common Polypody—Evergreen species good for rock work; forms dense mats.

Each .30 Per ten .24

POLYSTICHUM acrostichoides—12"—Christmas Fern—Evergreen; deep green.

Each .30 Per ten .24

GROUND COVERS

AJUGA reptans-See Perennials.

ARCTOSTAPHYLOS $Uv\alpha$ -ursi—4"-6"—Bearberry—Evergreen; white or pink flowers.

Clumps, each .60

ASARUM Shuttleworthi—6"-8"—Mottled Ginger—Evergreen, leathery foliage.
4 inch pots, each .45

CONVALLARIA majalis-See Perennials.

EPIGEA repens—See Perennials.

EUONYMUS radicans—See Vines.

-radicans vegetus—See Vines.

GALAX aphylla—8"-10"—Galax—Native; creamy white flowers; glossy green leaves; early Spring.

 $2^{1/4}$ inch pots, each .30

Clumps, each .45 Per ten .39 Per hundred .33

HELIANTHEMUM in variety—See Perennials.

IBERIS sempervirens in variety—See Perennials.

JUNIPERUS in variety—See General List.

PACHYSANDRA terminalis—6"-9"—Japanese Spurge—Evergreen ground-cover for shady places.

 $2\frac{1}{2}$ inch pots, per ten .18 Per hundred .15 Per thousand .12 4 inch pots, each 30 Per ten .24 Per hundred .21

PHLOX subulata Varieties-See Perennials.

POLEMONIUM reptans—See Perennials.

SHORTIA galacifolia—9"—Oconee Bells—Native; evergreen, large, heart-shaped leathery foliage; white flowers in early Summer.

3 inch pots, each .48 Per ten .42 Per hundred .36 4 inch pots, each .60 Per ten .54 Per hundred .48

THYMUS Serpyllum coccineus—See Perennials.

VACCINIUM crassifolium—2"-4"—Evergreen; small, glossy, box-like leaves; trailing.

4 inch pots, each .48

—Vitis-idea—6"—Cowberry—Evergreen ground-cover with red berries.
4 inch pots,each .60

VINCA minor—4".6"—Periwinkle—Evergreen; ground-cover with lilac-blue flowers; April and May.

2 year, per ten .27 Per hundred .24 Per thousand .21 l year, per ten .21 Per hundred .18 Per thousand .15

VINES

AMPELOPSIS tricuspidata Veitchii—Brilliant Autumn coloring; blue berries.

Each .60 Per ten .54

—tricuspidata Lowii—Dwarf Cutleaf Boston Ivy—Small, deeply cut foliage.

Each .75 Per ten .66

ARISTOLOCHIA Sipho—18'-20'—Dutchman's Pipe—Very large, round leaves; brownish colored flowers; rapid growing.

4 inch pots, each 1.05

 ${\bf BIGNONIA} \ \ {\bf grandiflora} \hbox{---Chinese Trumpetcreeper} \hbox{---Orange flowers}.$

6 inch pots,each .90 Per ten .81

—radicans—Trumpet Vine—Orange and scarlet flowers.

Each 60 Per ten 48

CELASTRUS scandens—American Bittersweet—Orange-scarlet fruit.

2 year, each .36 Per ten .33

 ${\tt CLEMATIS}\ \ {\tt paniculata-Sweet}\ \ {\tt Autumn}\ \ {\tt Clematis-White}\ \ {\tt flowers}\ \ {\tt in}\ \ {\tt September}.$

6 inch pots, each .60 Per ten .54

-Hybrids

Mme. Andre-Red.

4 inch pots, each 1.20

CLEMATIS Hybrids-Continued

Henryii-Large, creamy white flowers.

4 inch pots, each 1.20

Jackmanni-Large, violet-purple flowers.

4 inch pots, each 1.20

Ramona-Single, pale blue flowers.

4 inch pots, each 1.20

Lawsoniana—Large, blue flowers; June to September.

4 inch pots, each 1.20

Mme. Villard—Bright carmine flowers.

4 inch pots, each 1.20

EUONYMUS radicans-Wintercreeper-Evergreen wall or ground-cover.

 $2^{1/4}$ inch pots, each .30 Per ten .24

3 year, each .60 Per ten .48

HEDERA helix—English Ivy—Good evergreen wall or ground-cover in shady places,

4 inch pots, each .36 Per ten .33

—helix Baltica—Hardy English Ivy—Small leafed variety.

4 inch pots, each .60 Per ten .54

-helix conglomerata—Bunchleaf Ivy—Dwarf variety.

4 inch pots, each .48 Per ten .42

—helix gracilis—Small Leaf Ivy—Hardy; good in rock work; foliage veined with white.

4 inch pots, each .60 Per ten .54

-helix minima-Erect Ivy-Stiff habit.

 $2\frac{1}{4}$ inch pots, each .45 Per ten .42

—helix pedata—Deeply lobed leaves; graceful habit.

4 inch pots, each .75 Per ten .66

LONICERA japonica halliana—Hall's Japanese Honeysuckle—Common sweet variety.

2 year, each .33 Per ten .27

WISTERIA chinensis—Chinese Wisteria—Purple.

2	year,	each	.90
3	year,	each	1.20
4	year,	each	2.70

6 year, each..... 4.80

8 year, each..... 6.00

Per ten 1.05

—chinensis Tree-form		
5 ft. standards (in tubs)	each	12.00
—floribunda Naga-nodo—Lavender; long clusters.		
6 year, B. & B	each	5.40
—floribunda rubrum—Red; long clusters.		
5 year, B. & B	each	5.40
-floribunda Shiro-nodo-White; long clusters.		
5 year, B. & B	each	5.40
-multijuga Tree-form-Lavender.		
5 ft. standard (in tubs)	each	12.00

J. H. SCHMIDT & SON,

Inc.

MILLBURN, N. J.

